

Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 1 of 14

Applicant: Mid Ocean Brands B.V.

Address: Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

Manufacturer: 117486

Address:

The following sample(s) was /were submitted and identified on behalf of the clients as:

Sample Name: Wireless Speaker

Sample Model: MO9806

Sample Received Date: Sep. 01, 2025

Testing Period: Sep. 01, 2025 to Sep. 09, 2025

Test Requested

As requested by the applicant, refer to attached page(s) for details.

Approved by:

Tony gion

Tony Qian/Technical Manager



the original fil

Guangdong KEYS Testing Technology Co., Ltd.



Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 2 of 14

Summary of Test Results:

Test S	Standard	Conclusion
RoHS	Directive 2011/65/EU and its subsequent amendments Directive (EU) 2015/863	
1	To determine Lead (Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)),	Pass
	Polybrominated Biphenyls (PBBs) and Polybrominated DiphenylEthers (PBDEs)content	0.
	by screening test and chemical test.	(6
2	To determine Phthalates (DBP, BBP, DEHP, DIBP) content by chemical test.	Pass



Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 3 of 14

Test Results:

(1)XRF Test Result:

$(1)\Delta M$	Test Kesuit:			16			
No.		XR	F Result(mg/	kg)	A-	⊘ Chemical Test	Conclusion
110.	Pb	Cd	Hg	Cr	Br 👺	(mg/kg)	Conclusion
1	BL	BL	BL	BL	BL	- (10)	Pass
2	BL	BL	BL	BL	BL		Pass
3	BL	BL	BL	BL (©	BL		Pass
4	BL	BL	BL	BL	BL	(%)	Pass
5	BL	BL	BL	BL	BL	J - Co	Pass
6	BL	BL	BL	BL	BL	- 6	Pass
7	BL	BL	BL	BL	25		Pass
8	BL	BL	BL	BL	j	15-	Pass
9	BL	BL	BL	BL		(F)	Pass
10	BL	BL	BL	BL		(-	Pass
<u>6</u> 11	BL	BL	BL (BL	- -		Pass
12	BL	BL	BL	BL	BL	-	Pass
13	BL	BL	BL	X	Y	CrVI: Negative	Pass
14	BL	BL (BL	BL	BL	9	Pass
15	BL	BL	BL	BL	BL		Pass
16	BL	BL	BL	BL	BL		Pass
17	BL A	9 BL	BL	BL	X	PBBs/PBDEs:N.D.	Pass
18	BL	BL	BL	BL	BL	(F)	Pass
19	BL	BL	BL BL	BL			Pass
20	BL	BL	BL	BL	BL		Pass
21	BL	BL	BL	BL	BL		Pass
22	BL	BL	BL	BL	BL	(E)	Pass
23	BL	BL	BL	BL		-9	Pass
24	BL	BL	BL	BL	BL		Pass
25	BL	BL	BL	BL	BL A	2	Pass

Guangdong KEYS Testing Technology Co., Ltd.



Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 4 of 14

			A.6				0 (0
NI.	,	XR	F Result(mg/	kg)		Chemical Test	C. Le
No.	Pb	Cd	Hg	Cr	Br	(mg/kg)	Conclusion
26	BL	BL	BL	BL	BL 🕜	9	Pass
27	BL	BL	BL	BL	BL	- 65	Pass
28	BL	BL	BL	BL		- 9	Pass
29	BL	BL	BL	BL A	b BL		Pass
30	BL	BL	BL	BL	BL	039	Pass
31	BL	BL	BL	BL	(- 4	Pass
32	BL	BL	BL	BL	BL	(10)	Pass
33	BL	BL	BL	BL	a.6a		Pass
34	BL	BL	BL	BL (BL		Pass
35	BL	BL	BL	BL	ď <u></u>	(E)	Pass
36	BL	BL	BL	BL	X	PBBs/PBDEs:N.D.	Pass
37	BL	BL	BL	BL			Pass
38	BL	BL	BL	BL	BL		Pass
39	BL	BL	BL	BL	G -	A5	Pass
40	BL	BL	6 BL	BL	BL	<u> </u>	Pass
41	BL	BL 🥞	BL	BL	BL		Pass
42	BL	BL	BL	BL			Pass
43	BL	BL	BL	BL	BL		Pass
44	BL (©	BL	BL	BL	BL	Cer ?	Pass
45	BL	BL	BL	BL	BL	9	Pass
46	BL	BL	BL	BL	BL		Pass
47	BL	BL	BL	BL	125		Pass
48	BL	BL	BL	BL	6	739	Pass

Remark:

- 1.It is the result on total Br while test item on restricted substances in PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).
- 2. Screening test by XRF spectroscopy. XRF screening limits in mg/kg for regulated elements according to IEC 62321-3-1: 2013Annex A.

Guangdong KEYS Testing Technology Co., Ltd.



Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 5 of 14

Element	Polymer Material	Metallic Material	Composite Material
Pb	BL \leq 700-3 σ \leq X $<$ 1300+3 σ \leq OL	BL \leq 700-3 σ \leq X $<$ 1300+3 σ \leq OL	BL \leq 500-3 σ \leq X $<$ 1500+3 σ \leq OL
Cd	BL \leq 70-3 σ \leq X \leq 130+3 σ \leq OL	BL \leq 70-3 σ \leq X \leq 130+3 σ \leq OL	LOD <x<150+3σ≤ol< td=""></x<150+3σ≤ol<>
Hg	BL \leq 700-3 σ \leq X $<$ 1300+3 σ \leq OL	BL \leq 700-3 σ \leq X $<$ 1300+3 σ \leq OL	BL \leq 500-3 σ \leq X $<$ 1500+3 σ \leq OL
Cr	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	BL≤300-3σ <x< td=""><td>Œ</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	Œ	BL≤250-3σ <x< td=""></x<>

XRF Detection Limits in mg/kg for Regulated Elements in Various Material

Element	Polymer Material	Metallic Material	Composite Material
Pb	10	50	50
Cd	10	50	50
Hg	10	50	50
Cr	10	50	50
Br	10	50	50

Note: 1.BL = Under the XRF screening limit

- 2.OL = Future chemical test will be conducted while result is above the screening limit
- 3.X = The symbol "X" marks the region where further investigation in necessary
- 4.3σ=The reproducibility of analytical instruments
- 5.LOD=Detection limit

(2)Wet Chemical Test

(2) Wet Chemical Test	A . S			
Test Item(s)	Test Method/ Test Equipment	Unit	Limit	MDL
Cadmium(Cd)	IEC 62321-5:2013, ICP-OES	mg/kg	100	2
Lead(Pb)	IEC 62321-5:2013, ICP-OES	mg/kg	1000	2
Mercury(Hg)	IEC 62321-4:2013+AMD1:2017, ICP-OES	mg/kg	1000	2
Hexavalent Chromium(CrVI) (Metal)	IEC 62321-7-1:2015, UV-Vis	μg/cm ²	0.13	0.1
Hexavalent Chromium(CrVI) (Nonmetal)	IEC 62321-7-2:2017, UV-Vis	mg/kg	1000	8

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China Tel: +86-0769-22221088 http://www.keys-lab.com E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.



Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 6 of 14

	A 199		1.		- (-
PBBs (Next form)	IEC 62321-6:2015, GC-MS		mg/kg	1000	5
PBDEs (Next form)	IEC 62321-6:2015, GC-MS	(65	mg/kg	1000	5
Dibutyl Phthalate(DBP)	IEC 62321-8:2017, GC-MS		mg/kg	1000	30
Butyl benzyl phthalate (BBP)	IEC 62321-8:2017, GC-MS		mg/kg	1000	30
Di-(2-ethylhexyl) Phthalate(DEHP)	IEC 62321-8:2017, GC-MS		mg/kg	1000	30
Diisobutyl phthalate (DIBP)	IEC 62321-8:2017, GC-MS	S	mg/kg	1000	30

	PB	Bs	(5) PI	BDEs
0	Monobromobiphenyl	Hexabromobiphenyl	Monobromodiphenyl ether	Hexabromodiphenyl ether
	Dibromobiphenyl	Heptabromobiphenyl	Dibromodiphenyl ether	Heptabromodiphenyl ether
	Tribromobiphenyl	Octabromobiphenyl	Tribromodiphenyl ether	Octabromodiphenyl ether
	Tetrabromobiphenyl	Nonabromobiphenyl	Tetrabromodiphenyl ether	Nonabromodiphenyl ether
	Pentabromobiphenyl	Decabromobiphenyl	Pentabromodiphenyl ether	Decabromodiphenyl ether

Note:

- 1. mg/kg= ppm=0.0001%
- 2. N.D.= Not Detected(<MDL)
- 3. MDL = Method Detection Limit
- 4. --= No Testing
- 5. When Cr (VI) in a sample is detected below the 0.10 μg/cm² LOQ (limit of quantification), the sample is considered to be negative for Cr (VI). Since Cr (VI) may not be uniformly distributed in the coating even within the same sample batch, a "grey zone" between 0.10 μg/cm² and 0.13 μg/cm² has been established as "inconclusive" to reduce inconsistent results due to unavoidable coating variations. In this case, additional testing may be necessary to confirm the presence of Cr (VI). When Cr (VI) is detected above 0.13 μg/cm², the sample is considered to be positive for the presence of Cr (VI) in the coating layer. Unavoidable coating variations may influence the determination Information on storage conditions and production date of the tested sample is unavailable and thus Cr (VI) results represent status of the sample at the time of testing.

Guangdong KEYS Testing Technology Co., Ltd.



Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 7 of 14

(3)Phthalate Test Result:

		Test I	tem(s)		(4)
Test No.	Dibutyl Phthalate (DBP)	Butyl benzyl phthalate (BBP)	Di-(2-ethylhexyl) Phthalate (DEHP)	Diisobutyl phthalate (DIBP)	Conclusion
1	N.D.	N.D.	N.D.	N.D.	Pass
2	N.D.	N.D.	N.D.	N.D.	Pass
3	N.D.	N.D.	N.D.	N.D.	Pass
4 00	N.D.	N.D.	N.D.	N.D.	Pass
5	N.D.	N.D.	N.D.	N.D.	Pass
6	N.D.	N.D.	N.D.	N.D.	Pass
12	N.D.	N.D.	N.D.	N.D.	Pass
14	N.D.	N.D.	N.D.	N.D.	Pass
15	N.D.	N.D.	N.D.	N.D.	Pass
16	N.D.	N.D.	N.D.	N.D.	Pass
17	N.D.	N.D.	N.D.	N.D.	Pass
18	N.D.	N.D.	N.D.	N.D.	Pass
20	N.D.	N.D.	N.D.	N.D.	Pass
21	N.D.	N.D.	N.D.	N.D.	Pass
22	N.D.	N.D.	N.D.	N.D.	Pass
24	N.D.	N.D.	N.D.	N.D.	Pass
25	N.D.	N.D.	N.D.	N.D.	Pass
26	N.D.	N.D.	N.D.	N.D.	Pass
27	N.D.	N.D.	N.D.	N.D.	Pass
29	N.D.	N.D.	N.D.	N.D.	Pass
30	N.D.	N.D.	N.D.	N.D.	Pass
32	N.D.	N.D.	N.D.	N.D.	Pass
34	N.D.	N.D.	N.D.	N.D.	Pass
36	N.D.	N.D.	N.D.	N.D.	Pass
38	N.D.	N.D.	N.D.	N.D.	Pass
40	N.D.	N.D.	N.D.	N.D.	Pass

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China Tel: +86-0769-22221088 http://www.keys-lab.com E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.



Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 8 of 14

	Test Item(s)					
Test No.	Dibutyl Phthalate (DBP)	Butyl benzyl phthalate (BBP)	Di-(2-ethylhexyl) Phthalate (DEHP)	Diisobutyl phthalate (DIBP)	Conclusion	
41	N.D.	N.D.	N.D.	N.D.	Pass	
43	N.D.	N.D.	N.D.	N.D.	Pass	
44	N.D.	N.D.	N.D.	N.D.	Pass	
45	N.D.	N.D.	N.D.	N.D.	Pass	
46	N.D.	N.D.	N.D.	N.D.	Pass	


Note: 1. mg/kg= ppm=0.0001%

2. N.D.= Not Detected(<MDL)



Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 9 of 14


Test Process:






Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 10 of 14

3. Test for Chromium (VI) Content Soluble polymers:



Analyze the mixture by using UV-VIS Spectrophotometer with wavelength set at 540 nm

Insoluble/unknown polymers and electronics without Sb




Analyze the mixture by using UV-VIS Spectrophotometer with wavelength set at 540 nm

Guangdong KEYS Testing Technology Co., Ltd.




Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 11 of 14

Metal material



4. Test for DBP, BBP, DEHP, DIBP, PBB, PBDE Content





Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 12 of 14

Sample Description:

Sample Descripti	on:
No.	Description
Col	White plastic shell
2	Black coating
3	White plastic switch with silver cladding material switch
4	Yellow adhesive
5	Beige wooden board
6	White sheet
7	Silver metal magnet
8	Black magnetic ring
9	Silver metal frame
10	Copper-colored wire
11	Copper-colored metal wire loop
12	Black paper film
9 13	Silver metal screw
14	Black leather hand-held
15	Transparent yellow tape
16	Black IC
17	Green PCB
18	Red plastic wire sheath
19	Copper-colored metal wire core
20	Black sponge
21	White/black plastic components
22	Red plastic wire sheath
23	Silver metal sheet
24	Silver aluminum-plastic film
25	Black plastic wire sheath
26	Black IC
27	White LED

Guangdong KEYS Testing Technology Co., Ltd.




Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 13 of 14

	0.6
No.	Description
28	Silver metal interface
29	Black plastic fixation
30	Brown capacitor
31	Silver metal switch
32	Black plastic switch
33	Silver crystal oscillator
34	Black resistor
35	Silver metal sheet
36	Blue PCB
37	Silver metal USB
38	White plastic USB package
39	Silver metal stylus
40	Wrapped in white plastic
41	Black plastic fixation
42	Silver metal interface
43	White plastic outside leather
44	White plastic inner lining
45	Red plastic inner lining leather
46	White plastic fixed
47	Silver metal solder
48	Silver metal solder



Report No.: RKEYS250901349 Date: Sep. 15, 2025 Page 14 of 14

Photograph(s) of Sample:



*** End of Report ***

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China Tel: +86-0769-22221088 http://www.keys-lab.com E-mail: info@keys-lab.com

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

